

Commercial Practices

Casting Production Specifications

To be used in consultation with your caster (Use in combination with Checklist C-8-2)*

Checklist for Die Casting Production Part Purchasing

This Production Checklist provides a convenient method for assuring important factors involved in purchasing cast parts are evaluated and clearly communicated between the purchaser and the caster.

It should be used as a supplement to the essential dimensional and alloy specifications detailed on part prints submitted for quotation, since the listed factors directly affect the basis on which the casting quotation is made. The checklist may be reproduced for this purpose. Your caster will clarify any item requiring further explanation.

This checklist provides a numbering system in which the lowest numbered description for each requirement can be met at the lowest production cost, as follows:

This checklist is for use in consultation with your die caster prior to estimating production costs. Use in combination with the Finishing Checklist C-8-2. Also review Checklists T-2-1A and T-2-1B, for Die Casting Die Specification, in Section 2.

No.	Cost Effect
<input type="checkbox"/> 1	Most economical basis for production
<input type="checkbox"/> 2	Involves additional work which may affect cost
<input type="checkbox"/> 3	Additional work which may increase cost
<input type="checkbox"/> 4	Special Requirements which may increase cost

A	Casting Cleanliness	<input type="checkbox"/> 1	Some residue and chips not objectionable
		<input type="checkbox"/> 2	Shop run — blown reasonable free of chips but not degreased
		<input type="checkbox"/> 3	Clean, dry and free of chips
		<input type="checkbox"/> 4	Special requirements
B	Cast Surface Finish	<input type="checkbox"/> 1	Mechanical quality — finish is not significant
		<input type="checkbox"/> 2	Painting quality — streaks and chill areas coverable with paint
		<input type="checkbox"/> 3	Highest quality — for electroplating, decorative finishing, O-ring seats
C	Metal Extension (Flash) Removal Parting Line External Profile	<input type="checkbox"/> 1	No die trimming — break off gates and overflows
		<input type="checkbox"/> 2	Die trimmed to within 0.0150" (0.38 mm) of die casting surface (See NADCA Guideline G-6-5)
		<input type="checkbox"/> 3	Hand filed or polished — flush with die casting's surface
		<input type="checkbox"/> 4	Customer defined requirements
D	Metal Extension (Flash) Removal Cored Holes	<input type="checkbox"/> 1	Flash not removed
		<input type="checkbox"/> 2	Flash trimmed to within 0.010" (0.25 mm) of die casting surface
		<input type="checkbox"/> 3	Flash to be machined
E	Metal Extension (Flash) Removal Ejector Pins	<input type="checkbox"/> 1	Not removed (See NADCA Guidelines G-6-4)
		<input type="checkbox"/> 2	Crushed or flattened (See NADCA Guidelines G-6-4)
		<input type="checkbox"/> 3	Removed from specific locations
F	Pressure Tightness	<input type="checkbox"/> 1	No requirement
		<input type="checkbox"/> 2	Pressure-tight to agreed-upon psi (kPa). Testing medium: _____
		<input type="checkbox"/> 3	Other arrangements to be agreed upon
G	Flatness	<input type="checkbox"/> 1	No requirement
		<input type="checkbox"/> 2	To NADCA "Standard" specification tolerances (S-4A-8)
		<input type="checkbox"/> 3	Critical requirement — to NADCA "Precision" specification tolerances (P-4A-8)
		<input type="checkbox"/> 4	Customer defined requirements
H	Dimensions	<input type="checkbox"/> 1	Normal: per NADCA "Standard" specification tolerances
		<input type="checkbox"/> 2	Semi-critical: "Precision" tolerances on specified dimensions, others "Standard"
		<input type="checkbox"/> 3	Critical: Special tolerances to be agreed upon
I	Customer's Receiving Inspection	<input type="checkbox"/> 1	No unusual inspection requirements — no Statistical Quality Control
		<input type="checkbox"/> 2	Statistical quality control: Acceptable at Cpk 1.33 or higher (or AQL over _____)
		<input type="checkbox"/> 3	Statistical quality control: Acceptable at Cpk 2.0 or higher (or AQL over _____)
J	Packaging	<input type="checkbox"/> 1	Not critical — bulk packed
		<input type="checkbox"/> 2	Layer packed, with separators, or weight restriction
		<input type="checkbox"/> 3	Packed in cell-type separators or individually wrapped
		<input type="checkbox"/> 4	Customer defined requirements

* The specification provisions and procedures listed in Section 7, "Quality Assurance," should also be addressed.

Publisher grants permission to reproduce this checklist as part of a casting Request for Quotation or Production Specification.

Casting Surface Finishing Specifications

To be used in consultation with your caster (Use in combination with Checklist C-8-1)*

Checklist for Finished Die Casting Part Purchasing

This Finishing Checklist provides a convenient method for assuring that important factors involved in the surface finishing of cast parts are evaluated and clearly communicated between the purchaser and the caster.

It should be used as a supplement to the essential dimensional and alloy specifications detailed on part prints submitted for quotation, since the listed factors directly affect the basis on which the casting quotation is made. The checklist may be reproduced for this purpose. Your caster will clarify any item requiring explanation.

This checklist provides a numbering system in which the lowest numbered description for each requirement can be met at the lowest production cost, as follows:

This checklist is for use in consultation with your die caster prior to estimating production costs. Use in combination with the Finishing Checklist C-8-2. Also review Checklists T-2-1A and T-2-1B, for Die Casting Die Specification, in Section 2.

No. Cost Effect

- 1 Most economical basis for production
- 2 Involves additional work which may affect cost
- 3-4 Additional work which may increase cost
- 5 Most difficult surface to cast on a production basis

K	Casting Insert	<input type="checkbox"/> 1 No insert used in cast part
		<input type="checkbox"/> 2 Inserts required, to be supplied by customer at 10% overage
		<input type="checkbox"/> 3 Inserts required, to be supplied by caster
L	Parting Lines	<input type="checkbox"/> 1 Polishing not required
		<input type="checkbox"/> 2 Polish only where marked on drawing
		<input type="checkbox"/> 3 Polish all parting lines (except as noted)
M	Surface Preparation	<input type="checkbox"/> 1 No buffing required
		<input type="checkbox"/> 2 Mechanical (burnishing, tumbling, etc.)
		<input type="checkbox"/> 3 Buff as indicated on drawing
N	Plating, Anodizing or Other Special Finish	<input type="checkbox"/> 1 Protective Only – Specify: _____
		<input type="checkbox"/> 2 Decorative Paint – Specify: _____
		<input type="checkbox"/> 3 Severe Exposure Protection – Specify: _____
O	Painting	<input type="checkbox"/> 1 Heavy Paint, Protective Only – Specify: _____
		<input type="checkbox"/> 2 Decorative Paint – Specify: _____
		<input type="checkbox"/> 3 Application requires base coat or special treatment: _____ Specify: _____
P	Environmental	<input type="checkbox"/> 1 Normal interior use only
		<input type="checkbox"/> 2 Exposure to weather – Specify: _____
		<input type="checkbox"/> 3 Exposure of unusual chemistry – Specify: _____
Q	As-Cast Surface See NADCA Guidelines G-6-6	<input type="checkbox"/> 1 Utility Grade – surface imperfections acceptable, nondecorative coatings
		<input type="checkbox"/> 2 Functional Grade – slight, removable surface imperfections, heavier coatings
		<input type="checkbox"/> 3 Commercial Grade – removable imperfections
		<input type="checkbox"/> 4 Consumer Grade – no objectionable imperfections, as agreed upon, when viewed under normal lighting conditions at _____ feet viewing distance
		<input type="checkbox"/> 5 Superior Grade – specified average surface finish value of _____ micro-inches, per print
R	Special Requirements	For special flash removal requirements, see Checklist C-8-1, items C & E For special packaging/weight restrictions, see Checklist C-8-1, item J

* The specification provisions and procedures listed in Section 7, "Quality Assurance," should also be addressed.